

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

John Saul's Washington Nurseries.

ESTABLISHED 1852.

Catalogue No. 8.

SEED AND FLORAL STORE—621 Seventh Street,
Opposite U. S. Patent Office.

NURSERIES AND GREENHOUSES—Bright-
wood Avenue, Seventh Street Road.

ORCHIDS

A CATALOGUE

—OF—

For 1890.

CULTIVATED AND FOR SALE BY

JOHN SAUL,

Nurseryman, Seedsman and Florist,

WASHINGTON CITY, D. C.

NOTICE.

I ANNUALLY add largely to my stock of Orchids. Having regular shipments from Mexico, Guatemala, Central and South America, East Indies, and other countries celebrated for their Orchids, and as these importations are frequently arriving during the spring and summer months, it follows, as a consequence, that I have nearly at all times a great number of species not in Catalogue, as well as new and rare sorts unnamed.

Remarkably fine plants and masses of Angræcums, Dendrobiums, Saccolabiums, *Ærides*, etc., are offered.

From our bright sun and clear bright atmosphere my Tropical Orchids are superior to any grown in England, or the continent of Europe. My Dendrobiums make longer, thicker and finer Pseudo-Bulbs than they have when received from their native countries. *Ærides*, Saccolabiums, Vandas, Phalænopsis, etc., make stronger growths, with rampant roots and healthy foliage. Our climate is perfection for Tropical Orchids.

My prices are very much lower than they can be purchased for in Europe, in many cases not more than one-half, and stronger, and in every respect superior plants. A few scarce species are not priced; the same will be given on application.

It is difficult to give prices of Orchids in a catalogue; a plant of any species may not be worth one dollar, whilst a fine plant of the same species may be worth five dollars. Orchids, I can supply cheap and nice plants; I have also fine specimens, when such are desired, at extra prices. Of many I can supply large masses. Parties forming collections would do well to visit my establishment, and look out their plants. I have every confidence they will be more than pleased in quality and price.

All are established in Pots or Baskets, or upon Blocks.

This Catalogue annuls prices in all previous issues.

JANUARY, 1890.

JOHN SAUL.


Catalogue of Orchids.

(T) Distinguishes the Tropical species, such as require the temperature of a hot-house.

(I) Intermediate or warm greenhouse.

(C) Cool, or such as may be grown in an ordinary greenhouse.

| | EACH |
|---|---------|
| T Aganisi tricolor, a rare and fine Orchid..... | \$ 5 00 |
| I Aspasia Epidendroides..... | 2 00 |
| C Ada Aurantiaca..... | 2 00 |
| I Acineta Barkerii..... | 2 00 |
| I Humboldtii..... | 2 00 |



ACINETA HUMBOLDTII.

| | |
|--|----------------|
| C Acropera Laddigesii..... | 1 00 |
| Species, new and fine. | |
| T Æranthus Leonis (Angræcum Leonis)..... | 2 50 |
| T Ærides Affine..... | 2 50 |
| Roseum..... | 2 50 |
| Ballantiniana..... | 2 50 |
| Crassifolium..... | 2 50 |
| Crispum..... | 2 50 |
| Fieldingi..... | 2 50 |
| Larpentæ..... | 2 50 |
| Lawrenciana..... | 2 50 |
| Leeanii..... | \$2 50 to 5 00 |
| Lindleyana..... | 2 50 |
| Lobbi..... | 2 50 |
| Maculosum..... | 2 50 |
| Mitratum..... | 2 50 |
| Odoratum..... | \$1 50 to 2 50 |
| Majus..... | 2 50 |
| Quinquivulnerum..... | 2 50 |
| Sanderianum..... | 2 50 |
| Suavissimum..... | 2 50 |
| Virens..... | 2 50 |
| Dayanum..... | \$2 50 to 5 00 |
| Ellisii..... | 5 00 |
| Purpurescens..... | 2 50 |
| Thibautianum..... | 2 50 |
| Warneri..... | 2 50 |
| T Anæctochilus Lowii..... | \$2 50 to 5 00 |
| Bullenii..... | 2 50 |
| Daya..... | 2 50 |
| Dawsonii..... | 2 00 |

| | |
|--|----------------|
| T Anæctochilus Petola (Macodes)..... | 5 00 |
| T Angræcum Eburneum..... | \$2 50 to 5 00 |
| Citratum..... | 2 00 |
| Distichum..... | 2 00 |
| Ellisii..... | \$2 50 to 5 00 |
| Falcatum..... | 1 50 |
| Leonis (Æranthus)..... | 5 00 |
| Superbum..... | 10 00 |
| Sesquipedalo..... | 5 00 |
| Virens..... | 2 00 |
| C Anguloa Clowessii..... | 2 50 |
| Eburnea..... | 2 50 |
| Ruckerii..... | 2 50 |
| Uniflora..... | 1 00 |
| C Arpophyllum Spicatum..... | 1 50 |
| Giganteum..... | 2 50 |
| Uniflora..... | 2 50 |
| C Barkeria Skinnerii..... | 3 50 |
| Skinnerii Superba..... | \$1 50 to 2 50 |
| Elegans..... | 2 50 |
| Spectabilis..... | 2 50 |
| T Batemanian Colleyi..... | 2 50 |
| Burtii..... | 2 00 |
| Meleagris..... | 50 |
| T Bifrenaria Aurantiaca..... | 2 00 |
| C Bletia Hyacinthina..... | 2 00 |
| Shepherdii..... | 2 00 |
| C Brassavola Glaucæ..... | \$1 50 to 2 00 |
| Acaulis..... | 2 00 |
| Grandiflora..... | 2 00 |
| Cuspedata..... | 2 00 |
| Digbyana..... | 2 00 |
| I Brassia Gireoudiana..... | \$2 50 to 5 00 |
| Verrucosa..... | 1 00 |
| T Lawrenceana | \$2 50 to 5 00 |
| Lanceana..... | 2 00 |
| Wrayii (Brachiata)..... | 2 50 |
| I Burlingtonia Fragrans..... | 2 50 |
| Candida..... | 2 50 |
| Granadensis..... | 2 50 |
| Venusta..... | 2 50 |
| I Calanthe Turneri..... | 2 50 |
| Grandiflora..... | 2 50 |
| Huttonii..... | 2 50 |
| Nivalis..... | 2 50 |
| Regneri..... | 2 50 |
| Veitchii..... | \$1 50 to 2 50 |
| I Vestita Lutea Oculata..... | \$1 50 to 2 00 |
| Oculata Gigantea..... | 1 50 |
| Rubra Oculata..... | 2 50 |
| Veratrifolia..... | 5 00 |
| I Catesetum Warszewiczi..... | 2 50 |
| Bungerothii..... | 2 50 |
| Discolor..... | 2 50 |
| Longifolium..... | 2 50 |
| Tridentatum..... | 2 50 |
| I Cattleya Amethystina..... | 3 50 |
| Amethystoglossa..... | 3 50 |


| | | | |
|----------|-----------------|---|----------------|
| I | Cattleya | Aclandiae | 2 50 |
| T | | Aurea | \$5 00 to 7 50 |
| | | Bicolor | 2 50 |
| I | | Bewringiana | 2 50 |
| | | Bogotensis | \$2 50 to 5 00 |
| | | Chocoensis | 5 00 |
| C | | Citrina | \$1 00 to 2 00 |
| I | | Crispa (Laelia) | 2 50 |
| I | | Superba | |
| I | | Dormaniana | 5 00 |
| T | | Dowiana | \$2 50 to 5 00 |
| | | Large pieces | |
| I | | Ernesti | \$2 50 to 5 00 |
| I | | Eldorado | 2 50 |
| I | | Splendens | \$2 50 to 5 00 |
| I | | Virginalis | 5 00 |
| | | Gaskelliana | 2 50 |
| I | | Gigas | 2 50 |
| I | | Harrisoniae | 2 00 |
| I | | Holfordiana (Luteola) | 2 50 |
| I | | Imperialis | 2 50 |
| I | | Intermedia | 2 50 |
| I | | Labiata | |
| I | | Double Sheathed | \$2 50 to 5 00 |
| I | | Lobata (Laelia Boothiana) | 2 50 |
| I | | Leopoldii | 2 50 |
| I | | Guttata | 2 50 |
| I | | Lawrencianum | |
| I | | Marginata | 2 50 |
| I | | Maxima—Backhouse's variety | 5 00 |
| I | | Mendelii | 2 50 |



CATTLEYA MOSSIE.

| | | |
|----------|-------------------------------|----------------|
| I | Mossie | \$1 50 to 2 50 |
| I | Percivaliana | 2 50 |
| I | Roezlii | 2 50 |
| I | Sanderiana | 3 50 |
| I | Schillerianum | \$2 50 to 5 00 |
| I | Schreoderæ | 5 00 |
| T | Superba | 2 50 |
| T | Splendens | 5 00 |
| C | Skinneri | 2 50 |
| | Extra large | |
| | Alba, pure white | |

| | | | |
|----------|--------------------|---|-----------------|
| I | Cattleya | Speciosissima | 2 50 |
| I | | Trianie | 2 50 |
| I | | Velutina | |
| I | | Warneri (Labiata) | 2 50 |
| C | Cœlia | Macrostachya | 1 00 |
| I | Chysis | Aurea | 1 50 |
| I | | Maculata | 2 00 |
| I | | Bractescens | 1 50 |
| I | | Lævis | 2 50 |
| I | | Lumminghi | 5 00 |
| I | Cœlogyne | Cristata | \$1 50 to 2 50 |
| T | | Asperata | 5 00 |
| T | | Pandurata | 5 00 |
| T | | Fostermanii | |
| T | | Speciosa | 2 50 |
| I | | Lemoniana | 5 00 |
| I | | Ocellata | 2 00 |
| I | | Parishii (Papagena) | 2 50 |
| I | Comparettia | Rosea | 2 50 |
| | | Falcata | 5 00 |
| T | Coryanthes | Macrantha | 2 50 |
| T | | Maculata Punctata | 5 00 |
| I | Cynnoches | Aureum | 2 50 |
| I | | Ventricosum | 2 50 |
| C | Cymbidium | Eburneum | 3 50 |
| I | | Giganteum | |
| I | | Hookerianum | 10 00 |
| T | | Huttonii | |
| T | | Lindenii | |
| C | | Lowianum | |
| I | | Aloifolium | 1 00 |
| T | | Longiflorum | |
| I | | Mastersii | 5 00 |
| I | Cypripedium | Barbatum | 1 00 |
| I | | Superbum | 2 00 |
| T | | Argus, fine winter bloomer | \$1 50 to 2 50 |
| | | Bellatulum, a grand species and free grower—beautiful and distinct flowers | 2 50 |
| I | | Biflorum (Warnerianum) | |
| I | | Boxalii | 2 00 |
| T | | Bullenianum | 2 50 |
| T | | Ciliolare | 3 50 |
| T | | Concolor | \$2 50 to 5 00 |
| I | | Caudatum | \$2 50 to 5 00 |
| T | | Curtesii | |
| T | | Dayanum | |
| | | Dominii | 2 50 |
| | | Elliottianum | |
| I | | Godefroyæ | 2 50 |
| | | Hookerii | 2 00 |
| I | | Harrisianum | 2 00 |
| T | | Haynaldianum | 2 50 |
| | | Hirsutissimum | 2 50 |
| C | | Insignis | 50 cts. to 1 00 |
| C | | Maulii | 5 00 |
| | | Punctatum Violaceum | 5 00 |
| T | | Jayinicum | 2 50 |
| T | | Lævigatum | 2 50 |
| T | | Lawrencianum | 2 50 |
| T | | Longifolium | 2 50 |
| T | | Lowii | 2 50 |
| I | | Niveum | 2 50 |
| | | Pardinum | 2 50 |
| I | | Purpuratum | 5 00 |
| T | | Parishii | \$3 00 to 5 00 |



DENDROBIUM WARDIANUM.

| | | |
|----------|---|----------------|
| I | Cypripedium Pearcei (Caricinum)..... | 2 00 |
| T | Præstans | |
| I | Roezlii..... | 2 50 |
| T | Robelenii..... | \$2 50 to 5 00 |
| I | Rothschildianum | |
| T | Regnierii..... | 2 50 |
| I | Sanderianum..... | 5 00 |
| I | Sedeni..... | 2 50 |
| T | Spicerianum..... | \$2 50 to 5 00 |
| T | Stonei..... | \$2 50 to 5 00 |
| T | Superbiens (Veitchianum)..... | 5 00 |
| C | Venustum..... | 75 |
| I | Villosum..... | 2 50 |
| T | Cyrtoptera Woodfordii (Cyrtopodium)..... | 2 50 |
| I | Cyrtopodium Andersoni..... | 2 50 |
| I | Punctatum..... | 2 50 |
| C | Cyrtochilum Maculatum..... | 1 50 |
| I | Dendrobium Aggregatum..... | 2 00 |
| I | Majus | 2 50 |
| T | Album..... | 2 50 |
| I | Answorthii..... | |
| I | Alba Sanguinea..... | 2 50 |
| I | Amenum | |
| T | Anosmum (Dayanum)..... | 5 00 |
| T | Aureum | |
| T | Barbatulum (Fychtianum)..... | 2 50 |
| T | Bensonii..... | 2 50 |
| T | Bensonii Majus..... | 2 50 |
| I | Bullerianum | 2 50 |
| I | Bigibbum | 2 50 |
| I | Boxalli..... | 2 50 |
| I | Breviflorum..... | 2 50 |
| I | Brymerianum..... | |
| I | Calceolus (Calceolaria)..... | \$1 50 to 2 50 |
| I | Cambridgeanum..... | 2 50 |
| I | Capillipes..... | 2 50 |
| I | Cariniferum..... | 2 00 |
| I | Chrysanthum | 2 50 |

| | | |
|----------|---|----------------|
| T | Dendrobium Chrysotis (Hookeriana)..... | 2 50 |
| T | Chrysotoxum..... | \$1 50 to 2 50 |
| T | Clavatum..... | \$2 50 to 5 00 |
| T | Crassinode..... | \$1 50 to 2 50 |
| T | Barberianum..... | 2 50 |
| T | Crepidatum..... | \$1 00 to 2 50 |
| | Roseum | |
| I | Crumenatum (Album)..... | \$2 50 to 5 00 |
| I | Cruentum..... | 2 50 |
| T | Cretaceum..... | 2 00 |
| T | Crystallinum..... | 2 50 |
| T | Cumulatum..... | \$1 50 to 2 50 |
| T | Dalhousianum..... | 2 50 |
| T | Dayanii | |
| I | Dearei..... | 2 50 |
| I | Densiflorum..... | 2 50 |
| I | Densiflorum Album (Schroederi)..... | |
| | A magnificent Orchid. | |
| I | Devonianum..... | \$1 50 to 2 50 |
| I | Dixanthum..... | 2 50 |
| I | Eburnum (Draconss)..... | \$2 50 to 5 00 |
| C | Erythroxanthum..... | |
| I | Falconeri..... | 2 50 |
| | Gigantea..... | 5 00 |
| T | Farmerii Alba..... | 2 50 |
| T | Aurea | 2 50 |
| T | Formosum | 2 50 |
| | Gigantem | 2 50 |
| T | Fimbriatum Oculatum (Paxtonii)... | 2 50 |
| I | Findleyanum..... | \$2 50 to 5 00 |
| I | Freemani..... | 2 50 |
| T | Fuscatum | 2 50 |
| I | Gibsonii..... | 2 50 |
| I | Griffithii..... | |
| I | Hedyosmum..... | 2 50 |
| I | Heterocarpum (Aureum)..... | 2 50 |
| T | Philippinense..... | 2 50 |

| | | |
|----------|-------------------------------------|-----------------|
| I | Dendrobium Infundibulum..... | 2 50 |
| I | Jamesianum..... | 2 50 |
| I | Japonicum..... | 1 50 |
| I | Jenkensii..... | 2 50 |
| I | Johannis..... | |
| I | Longicornu..... | |
| T | Lasioglossum..... | 5 00 |
| T | Leucolophotum..... | 2 50 |
| I | Litiuiflorum..... | 2 50 |
| I | Luteolum..... | 2 00 |
| T | Lowii..... | \$2 50 to 5 00 |
| T | Macrophyllum (Java)..... | |
| T | McCarthyæ..... | 5 00 |
| I | Moschatum..... | \$1 50 to 2 50 |
| C | Moniliforme (Linawianæ)..... | 2 50 |
| C | Nobile..... | 50 cts. to 2 50 |
| T | Nobilius..... | |
| T | Nodatum..... | \$1 50 to 2 50 |
| I | Palpebræ..... | 2 50 |
| I | Parishii..... | \$1 50 to 2 50 |
| I | Paxtonii..... | 2 50 |
| I | Pierardi..... | \$1 00 to 2 50 |
| T | Latifolium..... | 2 50 |
| I | Pulchellum..... | 2 50 |
| C | Ruckeriana..... | 5 00 |
| C | Primulinum..... | 2 00 |
| T | Primulinum Giganteum..... | \$2 50 to 3 50 |
| I | Robustum (Japan)..... | 1 50 |
| C | Rhodopterygium..... | 2 50 |
| I | Secundum..... | 2 50 |
| T | Schröderi (Densiflorum Album)..... | |
| T | Sauvissimum..... | 2 50 |
| T | Sulcatum..... | |
| T | Superbum (Macrophyllum)..... | \$1 00 to 2 50 |
| T | Superbum Giganteum..... | \$1 50 to 5 00 |
| T | Superbiens..... | |
| T | Tortile..... | 2 00 |
| T | Roseum..... | 2 50 |
| T | Thrysisiflorum..... | 2 50 |
| T | Transparens..... | 2 50 |
| T | Veitchianum..... | 2 50 |
| T | Wardianum..... | 2 50 |
| T | Lowii..... | 2 50 |
| T | Wallichianum..... | 5 00 |
| T | Dendrochillum Filiforme..... | 5 00 |
| T | Cobbianum..... | 2 50 |
| T | Glumaceum..... | 2 50 |
| C | Disa Grandiflora..... | 2 50 |
| C | Epidendrum Aurantiacum..... | \$1 50 to 2 50 |
| C | Bicornutum..... | 2 50 |
| T | Bulbafolium..... | 1 00 |
| C | Brassavolæ..... | 2 50 |
| C | Cinnabarium..... | 1 50 |
| T | Ciliare..... | 2 50 |
| C | Ciliatum..... | 2 00 |
| I | Cochleatum..... | 1 50 |
| I | Dichromum (Amabile)..... | 2 50 |
| I | Eburneum..... | 2 00 |
| I | Ellipticum..... | 2 00 |
| I | Endresii..... | |
| C | Falcatum (Parksoniana)..... | 2 00 |
| T | Fragrans..... | 2 00 |
| I | Frederici Guilielmi..... | |
| C | Gracilis..... | 1 00 |
| C | Leuchochilum..... | 2 00 |

| | | |
|----------|--|------|
| C | Epidendrum Machrochilum (Atropurpurea)..... | 2 00 |
| C | Macrochilum Roseum..... | 2 00 |
| C | Myrianthum..... | 2 50 |
| C | Nemorale..... | 2 00 |
| C | Majus..... | 2 50 |
| C | Oncidoides..... | 1 00 |
| C | Odoratum..... | 1 50 |
| C | Prismatocarpum..... | 2 50 |
| C | Radiatum..... | 1 00 |
| C | Rhizophorum..... | 2 50 |
| C | Stamfordianum..... | 2 00 |



EPIDENDRUM VITELLINUM.

| | | |
|----------|---|-----------------|
| C | Vitellinum..... | 1 00 |
| C | Majus..... | \$1 00 to 2 00 |
| I | Wallisii..... | |
| T | Eulophia Scripta..... | \$2 50 to 5 00 |
| T | Caleandra | |
| T | Bauerii..... | 2 50 |
| T | Devoniana..... | 2 50 |
| T | Escagnolleana..... | |
| T | Very beautiful and rare..... | |
| T | Goodyera (Anætochilus)..... | |
| T | Discolor..... | 50 |
| T | Congora Atropurpurea..... | 1 50 |
| T | Maculata..... | 1 50 |
| T | Grammatophyllum Ellisii..... | 5 00 |
| T | Levictum..... | 2 50 |
| T | Indeterminalis..... | 2 50 |
| C | Hartwegia Purpurea..... | 2 00 |
| I | Houlletia Brocklehurstiana..... | 2 50 |
| I | Hexiseæ Bidentata. (A pretty plant, giving profusely panicles of bright vermilion flowers twice a year)..... | 2 50 |
| T | Huntleya Violacea..... | 5 00 |
| T | Species..... | |
| T | Ionopsis Utricularioides (white, speckled and lightly suffused with purple)..... | 2 50 |
| I | Isochilus Lineara..... | 1 50 |
| C | Lælia Acuminata Alba..... | 2 50 |
| C | Rosea (Peduncularis)..... | 2 50 |
| C | Albida..... | 75 cts. to 2 50 |
| C | Anceps..... | 75 cts. to 2 00 |
| C | Alba..... | |
| C | Dawsonii..... | |
| C | Autumalis..... | \$1 00 to 2 50 |
| C | Cinnabarina..... | 2 50 |

| | | |
|---------------|--|------------------|
| Leelia | Crispa (See Cattleya)..... | |
| | Dayana (Cattleya)..... | 2 00 |
| I | Elegans Schilleriana..... | 5 00 |
| I | Flava | 5 00 |
| | Gouldiana..... | |
| I | Harpophylla | 2 50 |
| C | Majalis | \$1 00 to |
| C | Perrinii | 2 50 |
| I | Pinellii (Preestans)..... | 2 50 |
| I | Purpurata | 2 50 |
| I | Purpurata Nelissi..... | 5 00 |
| I | Superbiens | \$2 50 to 5 00 |
| | Xanthina | 2 50 |
| I | Limatodes Rosea..... | \$1 00 to \$1 50 |
| | Rosea Saul's, (a grand variety with flowers as large as Calanthe Veitchii and more brilliant in color)..... | |
| C | Lycaste Aromatica..... | \$1 00 to 2 00 |
| C | Aromatica et in Odora..... | 2 00 |
| C | Cruenta | \$1 00 to 2 00 |
| | Candida Rubra..... | |
| C | Deppei | \$1 00 to 1 50 |
| C | Gigantea | 5 00 |
| I | Harrisoniae | 2 00 |
| I | Lanipes | 2 00 |
| I | Plana | 2 50 |
| | Measuresiana..... | |
| C | Skinnerii | \$1 50 to 2 50 |
| | Alba, white..... | |
| C | Candida, white..... | |
| C | Masedevallia Chimæra (Wallisii)..... | \$2 50 to 5 00 |
| C | Conchiflora—This fine variety produces splendid blossoms of a rich rosy-lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance..... | 2 50 |
| C | Davisi | 2 00 |
| | Infra cta..... | 2 00 |
| C | Harryana | 2 00 |
| C | Houtteana (Psittacina)..... | 2 00 |
| C | Ignea | 2 00 |
| C | Lindenii | \$1 50 to 2 00 |
| C | Maculata | 1 50 |
| C | Reichenbachiana | 1 50 |
| C | Schuttletworthii | 2 50 |
| C | Triangularis | 2 00 |
| C | Tovarensis | \$1 50 to 2 50 |
| C | Veitchiana | \$1 50 to 2 50 |
| C | Maxillaria Grandiflora..... | 2 50 |
| C | Harrisoniae | 2 00 |
| C | Tetragone | 2 50 |
| C | Tenuifolia | 2 00 |
| | Species from Brazil..... | |
| C | Picta | 2 00 |
| C | Miltonia Moreliana..... | 5 00 |
| C | Candida | 5 00 |
| C | Clowesii | 2 50 |
| C | Cuneata | 2 50 |
| C | Pinellii | 5 00 |
| C | Regenellii | 5 00 |
| C | Spectabilis | 2 50 |
| | Bicolor..... | 2 50 |
| | Moreliana..... | 5 00 |
| C | Flavescens | 2 50 |
| | Warszewiczii (Oncidium Weltoni)..... | |
| C | Mormodes Citrinum..... | 2 00 |
| | Pardinum..... | 2 00 |
| | Luxatum Eburneum..... | 2 00 |




MILTONIA CANDIDA.

| | | |
|----------|---|----------------|
| C | Odontoglossum Alexandria (Crispa Bluntii)..... | \$1 00 to 2 50 |
| C | Bictoniensis | 2 50 |
| C | Alba..... | 2 50 |
| C | Cervantesii (membranaceum)..... | 2 00 |
| C | Cirrhosum | \$1 50 to 2 50 |
| C | Citrosium | 2 00 |
| C | Roseum..... | \$1 00 to 2 00 |
| C | Cordatum | 2 00 |
| C | Coronarium | |
| C | Dawianum | 2 50 |
| C | Edgertoniana | 2 50 |
| C | Ehrenbergii | \$1 50 to 2 50 |
| C | Gloriosum | 2 00 |
| C | Grande | \$1 00 to 2 50 |
| C | Hallii | 2 50 |
| C | Krameri | |
| C | Insleayi | 2 00 |
| | Leopardianum..... | 2 50 |
| C | Londesboroughianum | |
| C | Luteum Purpureum..... | 2 00 |
| C | Maculatum | 2 00 |
| C | Nebulosum | 2 00 |
| C | Odoratum | 2 00 |
| C | Oerstedii | 2 00 |
| C | Madrense | 2 50 |
| C | Pulchellum | \$1 50 to 2 00 |
| C | Grandiflorum..... | 3 50 |
| C | Pescatorei | \$1 50 to 2 50 |
| C | Phalenopsis | \$1 50 to 2 50 |
| C | Reichenheimi | 2 50 |



ODONTOGLOSSUM ROSSII.



PERISTERIA ELATA.

| | | |
|----------------------|--|----------------|
| Odontoglossum | Roezlii | 2 50 |
| | Rossii (Warnerii) | \$1 00 to 2 00 |
| | Rossii Majus | 2 00 |
| | Sanderiana | 2 50 |
| | Schleiperianum | 2 50 |
| | Splendens | 2 50 |
| | Triumphans | 2 50 |
| | Vexillarium | 2 50 |
| | Warszewiczii | |
| Oncidium | Altissimum | 2 50 |
| | Ampliatum | 2 00 |
| | Ampliatum Majus | 2 50 |
| | Aurosium | 2 50 |
| | Anciferum | 2 50 |
| | Bicolor | 2 50 |
| | Barkerii—see Tigrinum | |
| | Bicallosum | 2 00 |
| | Cavendishianum | 2 00 |
| | Cheiroporum | 2 50 |
| | Cebelletta (Juncifolius) Macranthum | 2 00 |
| | Concolor | 2 00 |
| | Coesium | 2 50 |
| | Cornigerum | 2 50 |
| | Crispum | 2 00 |
| | Var | 2 50 |
| | Curtum (Gardneriana) | \$3 50 to 5 00 |
| | Cucullatum | 1 50 |
| | Dastyle | 2 50 |
| | Divaricatum | \$1 50 to 2 50 |
| | Forbesii | 2 00 |
| | Fuscatum (Weltoni) | 2 00 |
| | Flexuosum | 2 00 |
| | Incurvum | 1 00 |
| | Jonesianum | 2 50 |
| | Kramerianum | 2 50 |
| | Lanceanum | 2 50 |
| | Lanceanum Louvrexianum | |
| | Leucochilum | \$1 50 to 2 50 |
| | Lavenderii | 2 00 |
| | Longipes | 2 00 |
| | Luridum | 2 50 |
| | Macranthum | \$3 50 to 5 00 |
| | Macranthum Hastiferum | |
| | Marshallii | \$3 50 to 5 00 |
| | Ornithorychium | \$1 00 to 2 50 |
| | Obyrztatum | 2 50 |
| | Papilio | 2 00 |
| | Papilio Majus | 2 50 |
| | Phymatochilum | 2 50 |
| | Pulvinatum | 2 50 |
| | Reflexum | 2 00 |
| | Rogersii | \$2 50 to 5 00 |
| | Roseum (Henchmanii) | 2 00 |
| | Species (new) from New Granada, long spikes fine yellow flowers | |
| | Superbiens | |
| | Serratum | |

| | | |
|--------------------|--|----------------|
| Oncidium | Schlimmii..... | |
| | Sanguineum..... | 2 00 |
| | Sarcodes..... | 2 50 |
| | Splendideum..... | 2 50 |
| | A rare and very beautiful species. | |
| | Sphacelatum Grandiflorum..... | \$1 00 to 2 00 |
| | Stelligerum..... | 2 50 |
| | Tigrinum (Barkerii)..... | 1 50 |
| | Varicosum..... | 2 00 |
| | Volvox (Reichenbach)..... | 2 00 |
| | Weltoni (Miltonia Warszewiczii)..... | 2 00 |
| Paphinia | Cristata..... | 5 00 |
| Peristeria | Elata, Holy Ghost Flower..... | \$1 50 to 2 50 |
| | Pendula..... | 2 50 |
| Pescatoria | Cereni..... | 5 00 |
| | Dayana..... | 5 00 |
| | Klabochoorum..... | 5 00 |
| Phajus | Wallichii..... | \$2 50 to 2 50 |
| | Blumei..... | 2 50 |
| | Grandifolius (Bletia Tankervilleae)..... | 50c. 1 00 |
| | Maculatus..... | 2 50 |
| Phalenopsis | Amabilis..... | \$2 50 to 5 00 |
| | Cornu-cervi..... | 5 00 |
| | Esmeralda..... | \$2 50 to 5 00 |
| | Grandiflora..... | \$2 50 to 5 00 |
| | Aurea..... | |
| | Intermedia (Porteri)..... | |
| | Leucorrhoda..... | |
| | Listerii..... | |
| | Lowii..... | |
| | Luddemanniana..... | 5 00 |
| | Parishii..... | |
| | Rosea..... | 5 00 |
| | Sanderiana..... | |
| | Speciosa..... | |
| | Suartziana..... | |
| | Schilleriana..... | \$2 50 to 5 00 |
| | Sumatrana..... | |
| | Violaeca..... | |
| | Valentina..... | |
| Pilumnus | Nobilis..... | 2 00 |
| | Fragrans..... | \$1 50 to 2 50 |
| Pleione | Maculata..... | 1 50 |
| | Reichenbachiana..... | 2 00 |
| | Wallichiana..... | 2 00 |
| Renanthera | Coccinea..... | \$2 50 to 5 00 |
| | Storei..... | |
| Restrepia | Antenniferia..... | \$2 50 to 5 00 |
| | Dayana..... | |
| Rodriguesia | Secunda..... | 1 50 |
| Saccolobium | Blumei Majus..... | 2 50 |



PHALAENOPSIS GRANDIFLORA.

| | |
|---|----------------|
| Saccolobium Ampulaceum Moulmeinse... | 2 50 |
| Celeste | \$3 00 to 5 00 |
| Curvifolium..... | 2 50 |
| Cetrinum..... | |
| Guttatum | \$2 50 to 5 00 |

| | |
|--------------------|------|
| Giganteum | 5 00 |
| Holfordianum | 2 50 |
| Superbum..... | |

| | |
|---|----------------|
| Giganteum | 5 00 |
| Harrisonianum, (flowers pure white, fragrant) | 5 00 |
| Hendersonianum..... | 5 00 |
| Praemorsum..... | 5 00 |
| Reedii..... | 5 00 |
| Retusum..... | 5 00 |
| Violaceum..... | \$2 50 to 5 00 |

| | |
|------------------------------------|------|
| Schomburgkia Tibicina | 2 50 |
| Crispa | 2 50 |

| | |
|---|------|
| Sobralia Macrantha | 2 50 |
| Fenzlana, rosy crimson | 5 00 |
| Alba, splendid large flower, pure white | |

| | |
|--|--|
| Fragrans | |
| Pfau, sulphur yellow, fine | |
| Species (new) cherry crimson, yellow and white throat; beautiful | |
| Virginalis, white, very beautiful..... | |

| | |
|------------------------------|------|
| Stanhopea Aurea | 2 00 |
| Bucephalus..... | 2 00 |
| Eburnea..... | 2 00 |
| Ecornute (new)..... | 5 00 |
| Grandiflora | 2 00 |
| Insignis | 2 00 |
| Martiana | 2 00 |
| Maculata et Oculata..... | 2 00 |
| Oculata | 2 00 |
| Species from Rio Negro..... | |
| Saccata | |
| Tigrina | 2 00 |
| Tigrina Lutescens..... | 2 00 |
| Tigrina Atrata | 2 50 |
| Wardii | 2 00 |

| | |
|-------------------------------------|------|
| Scuticaria Hadwenii | 5 00 |
| Steelii..... | 2 50 |
| Sophranitis Grandiflora..... | 2 00 |
| Cernua..... | 2 50 |
| Coccinea | 2 50 |
| Violaeca..... | 2 50 |

| | |
|---|------|
| Trichocentrum albo purpureum..... | 2 50 |
| Thunia (Phajus) Albus Superbus | 2 00 |
| Bensonii | 2 50 |
| Marshallii..... | 2 00 |

| | |
|--|------|
| Trichopilia Crispa (Gloxiniæflora)..... | |
| Crispa Marginata. A rare new Orchid..... | |
| Coccinea | 2 00 |



SACCOLOBIUM GUTTATUM.

| | |
|-----------------------------------|------|
| Trichopilia Marginata..... | 2 50 |
| Sauvis..... | 2 00 |

| | |
|------------------------------------|------|
| Alba, (pure white, very Rare)..... | 2 00 |
| Tortilis | 2 00 |

| | |
|--------------------------------------|----------------|
| Vanda Bamellata Boxalli | \$2 50 to 5 00 |
|--------------------------------------|----------------|

| | |
|----------------|----------------|
| Amesiana | 5 00 |
| Batemanii..... | 5 00 |
| Bensonii..... | 2 50 |
| Cœrulea | \$2 50 to 5 00 |

| | |
|-------------------|------|
| Cathartica..... | |
| Cœrulescens..... | 5 00 |
| Dennisoniana..... | 5 00 |
| Gigantea | 5 00 |
| Hookeriana | 5 00 |
| Insignis | 5 00 |

| | |
|------------------------------|------|
| Kimballiana | |
| Limbat..... | |
| Parishii (Morriottiana)..... | 5 00 |
| Roxburghii..... | 5 00 |
| Cœrulea | 5 00 |

| | |
|-----------------|------|
| Sauvis..... | 5 00 |
| Sanderiana..... | 5 00 |
| Teres..... | 2 50 |

| | |
|-----------------|------|
| Andersonii..... | |
| Tricolor..... | 5 00 |
| Tesselata | 5 00 |

| | |
|------------------------------|-----------------|
| Vanilla Aromatic..... | 50 cts. to 1 00 |
|------------------------------|-----------------|

| | |
|--|------|
| Utricularia Endresii, (lilac flowers, lips creamy white)..... | 2 50 |
| Montana | 2 00 |
| Reniformis..... | |

| | |
|---|--|
| Professor Reichenbach writes of U. Endresii: "This lovely Orchid <i>sensu lato</i> (that is to say in a gardener's sense, not in a botanist's) has finally developed its charming flowers. I hope these Utricularias may never be lost from gardens." | |
|---|--|

| | |
|-------------------------------------|------|
| Warrea Cyanea | 2 50 |
| Lindeana..... | 5 00 |
| Warscewiczella discolor..... | 5 00 |
| Wendlandi..... | |

| | |
|-------------------------------------|----------------|
| Zygopetalum intermedium..... | 2 00 |
| Crenatum..... | 2 00 |
| Cœruleum | \$2 50 to 5 00 |
| Gautieri..... | \$2 50 to 5 00 |
| Mackayi..... | 2 00 |
| Rostratum | 3 50 |

ORCHIDS IN COLLECTIONS. My Selection, \$9.00, \$12.00 and \$18.00 per Dozen. Very Good Varieties.

